

# Adding a New Service (v. 1.08)

24 September 2023 11:26

## My notes when I added new services to my Generic BMD Autotype system

**FreeReg.org.uk** appears to have only three Collections - Baptism, Marriage and Burial, which is logical as they are transcriptions of parish Registers done by volunteers.

I found a need to add Freereg.org.uk as a Service to the Generic BMD Autotype, and these are the steps I have taken to do that. ORA does recognise FreeReg as a service with three collections.

### Marriage

1. On the blank OraSettings page for Service FreeReg and Collection marriage, Import Collection-> Import Collection from File ..., selected the latest version of \_Autotype Template Generic BMD vnnn.ora-collection -> Import to Current Collection.
2. On Auto Type Template 1 (ATT1) updated the version history line with next version and comment.
3. Modified Library Template [lib.Initvars]
  1. Added the new Service section at the end of the existing template, with the three collection type subsections.
  2. Added marriage record variable
  3. Updated the version line
4. Modified Library Template [lib.WriteCitation]
  1. Added the new Service section at the end of the existing template and before the adding of record and image links, with the three collection type subsections.
  2. Defined the TFS template
  3. Updated the version line
5. Tested ATT buttons 1, 5, 6
6. Changed Text Template 1 to reflect the next version of the Autotype
7. Exported the collection to the clipboard

### Baptism

1. On the blank OraSettings page for Service FreeReg and Collection baptism, Import Collection-> Import Collection from Clipboard ->Import to Current Collection.
2. Modified Library Template [lib.Initvars]
  1. Added baptism record variables
3. Modified Library Template [lib.WriteCitation]

1. Defined the TFS baptism template
4. Tested ATT buttons 1, 5, 6
5. Changed Text Template 1 to reflect the next version of the Autotype
6. Exported the collection to the clipboard

## **Burial**

1. On the blank OraSettings page for Service FreeReg and Collection burial, Import Collection-> Import Collection from Clipboard ->Import to Current Collection.
2. Modified Library Template [lib.Initvars]
  1. Added burial record variables
3. Modified Library Template [lib.WriteCitation]
  1. Defined the TFS burial template
4. Tested ATT buttons 1, 5, 6
5. Changed Text Template 1 to reflect the next version of the Autotype
6. Exported the collection to the clipboard

###

## **Find a Grave**

### **Memorials**

1. On the blank OraSettings page for Service Find A Grave and Collection memorials, Import Collection-> Import Collection from Clipboard ->Import to Current Collection.
2. Modified Library Template [lib.Initvars]
  1. Added memorials record variables
3. Modified Library Template [lib.WriteCitation]
  1. Defined the TFS memorial template
4. Tested ATT buttons 1, 5, 6
5. Changed Text Template 1 to reflect the next version of the Autotype
6. Exported the collection to the clipboard